Plant Pathology

A record of current work on plant diseases and pests

INDEX
VOLUME 22, 1973

Author : *pages* iii-iv
Subject : *pages* v-viii

LONDON: HER MAJESTY'S STATIONERY OFFICE

AUTHOR INDEX

ALI, M. A. (*joint author*), see Howell, P. J., 148.

BIGGERSTAFF, S. M. (*joint author*), see Scopes, N. E. A., 189–93.

BINNS, E. S. Glasshouse Cucumbers Apparently Damaged by the Common Wren (*Troglodytes troglodytes*), 197–8.

BROWN, E. B. (*joint author*), see Dale, W. T., 65–6.

BUTT, D. J. and CRANHAM, J. E. Effects of the Apple Mildew Spray Programme on the Control of Fruit Tree Red Spider Mite, 184–8.

CHAMBERLAIN, N. H., SMITH, JULIA C. and DODSON, J. K. The Identification of a New Physiologic Race of *Puccinia striiformis* Westend. causing Yellow Rust of Wheat, 1971, 27–9.

COAKER, T. H. Insecticidal Control of the Cabbage Leaf Miner, *Phytomyza rufipes* Meig., attacking Calabrese, 51–7.

COLHOUN, J. (*joint author*), see Holmes, S. J. I., 194–7.

COOK, R. J. Degeneration of Rhubarb caused by *Nectria radicicola* Gerlach and Nilsson, 48–9.

COOKE, D. A. The Effect of Plant Parasitic Nematodes, Rainfall and Other Factors on Docking Disorder of Sugar Beet, 161–70.

COOPER, J. I. and HARRISON, B. D. Distribution of Potato Mop-top Virus in Scotland in Relation to Soil and Climate, 73–8.

CRANHAM, J. E. (*joint author*), see Butt, D. J., 184–8.

DALE, W. T. and BROWN, E. B. NEPO Viruses in Raspberries in the West Midlands, 65–6.

DAVIES, R. R. (*joint author*), see Smith, L. P., 1–10.

DEACON, J. W. Control of the Take-all Fungus by Grass Leys in Intensive Cereal Cropping, 88–94.

DEACON, J. W. Factors affecting Occurrence of the Ophiobolus Patch Disease of Turf and its Control by *Phialophora radicicola*, 149–55.

DICKENS, J. S. W. and EVANS, S. G. A Stemphylium Leaf Blight of Tomato, 70–2.

DIXON, G. M. Observations on the Use of *Phytoseiulus persimilis* Athias-Henriot to Control *Tetranychus urticae* (Koch) on Tomatoes, 134–8.

DODSON, J. K. (*joint author*), see Chamberlain, N. H., 27–9.

EVANS, ELIZABETH B. (*joint author*), see Stone, L. E. W., 181–3.

EVANS, S. G. (*joint author*), see Dickens, J. S. W., 70–2.

FLETCHER, J. T. Shaggy Stipe, a New Disease of Cultivated Mushroom caused by *Mortierella bainieri*, 25–7.

FRENCH, N. and LUDLAM, F. A. B. Observations on Winter Survival and Diapausing Behaviour of Red Spider Mite (*Tetranychus urticae*) on Glasshouse Roses, 16–21.

FRENCH, N. (*joint author*), see Ludlam, F. A. B., 22–4.

FRENCH, N., LUDLAM, F. A. B. and WARDLOW, L. R. Biology, Damage and Control of Rosy Rustic Moth, *Hydraecia micacea* (Esp.), on Hops, 58–64.

FRENCH, N., LUDLAM, F. A. B. and WARDLOW, L. R. Observations on the Effects of Insecticides on Glasshouse Whitefly (*Trialeurodes vaporariorum* (Westw.)), 99–107.

GOODALL, D. E. (*joint author*), see Scopes, N. E. A., 189–93.

GRIFFIN, M. J. (*joint author*), see Royle D. J., 129–33.

HARGREAVES A. J. (*joint author*), see Jarvis, W. R., 139–41.

HARRISON, B. D. (*joint author*), see Cooper, J. I., 73–8.

HAWKINS, J. H. (*joint author*), see Lapwood, D. H., 35–41.

HEATHCOTE, G. D. Beet Mosaic – a Declining Disease in England, 42–5.

HEATHCOTE, G. D. Nematode-transmitted Viruses of Sugar Beet in England, 1965–72, 156–60.

HILL, D. S. Chemical Control of Carrot Fly (*Psila rosae* (F.)) on Parsnip, 123–6.

HILL, D. S. Damage to Grassland by Larvae of the Common Leaf Weevil (*Phyllobius pyri* (L.)), 50.

HILL, D. S. Damage to Pea Seedlings and Brussels Sprout Transplants by Larvae of Bean Seed Fly (*Delia platura* (Meig.)), 49.

HOLMES, S. J. I. and COLHOUN, J. *Septoria nodorum* as a Seed-borne Pathogen of Barley, 194–7.

HOWELL, P. J. and ALI, M. A. Pelargonium Rust (*Puccinia pelargonii-zonalis*) in Scotland, 148.

JARVIS, W. R. and HARGREAVES, A. J. Tolerance to Benomyl in *Botrytis cinerea* and *Penicillium corymbiferum*, 139–41.

JORDAN, V. W. L. The Effects of Prophylactic Spray Programmes on the Control of Pre- and Post-harvest Diseases of Strawberry, 67–70.

KING, J. E. (*joint author*), see Polley, R. W., 11–16.

KINGHAM, H. G. (*joint author*), see Winfield, A. L., 144–6.

LAPWOOD, D. H., WELLINGS, L. W. and HAWKINS, J. H. Irrigation as a Practical Means to Control Potato Common Scab (*Streptomyces scabies*): Final Experiment and Conclusions, 35–41.

LELLIOTT, R. A. A Survey in England and Wales for Ring Rot of Potatoes caused by *Corynebacterium sepedonicum*, 126–8.

LEWIS, SERFIAH (*joint author*), see Stone, L. E. W., 181–3.

LUDLAM, F. A. B. and FRENCH, N. Chemical Control of Red Spider Mite on Pot Chrysanthemum, 22–4.

LUDLAM, F. A. B. (*joint author*), see French, N., 16–21.

LUDLAM, F. A. B. (*joint author*), see French, N., 58–64.

LUDLAM, F. A. B. (*joint author*), see French, N., 99–107.

MATHIAS, P. L. and ROBERTS, P. F. Chemical Control of Wheat Bulb Fly in the East Midlands, 1968–70, 112–19.

MUNDY, E. J. The Effect of Yellow Rust and its Control on the Yield of Joss Cambier Winter Wheat, 171–76.

POLLEY, R. W. and KING, J. E. A Preliminary Proposal for the Detection of Barley Mildew Infection Periods, 11–16.

PREECE, T. F. (*joint author*), see Wong, T. F., 95–7.

RICHARDSON, D. E. An External Ringspot of Potatoes, 120–2.

ROBERTS, P. F. (*joint author*), see Mathias, P. L., 112–19.

ROBERTS, PAULINE. A Soft Rot of Imported Onions caused by *Pseudomonas alliicola* (Burkh.) Starr & Burkh., 98.

ROYLE, D. J. and GRIFFIN, M. J. Side-Effects of Downy Mildew Fungicides on the Incidence of Hop Powdery Mildew (*Sphaerotheca humuli*), 129–133.

SCOPES, N. E. A., BIGGERSTAFF, S. M. and GOODALL, D. E. Cool Storage of Some Parasites used for Pest Control in Glasshouses, 189–93.

SIMMONDS, S. P. A Cheyletid Mite found on Cucumber, 147.

SMITH, JULIA C. (*joint author*), see Chamberlain, N. H., 27–9.

SMITH, L. P. and DAVIES, R. R. Weather Conditions and Spore Trap Catches of Barley Mildew, 1–10.

STOAKLEY, J. T. Laboratory and Field Tests of Insecticides against Douglas Fir Seed Wasp (*Megastigmus spermotrophus* Wachtl), 79–87.

STONE, L. E. W., WEBLEY, D. P., LEWIS, SERFIAH and EVANS, ELIZABETH B. The Persistence of Potato Cyst Eelworm (*Heterodera pallida* Stone) under Different Non-host Regimes, 181–3.

SYMONDS, B. V. The Early Prediction of Slug Damage to Potatoes, 30–4.

WALKER, C. Interception of the North American native elm bark beetle (*Hylurgopinus rufipes* (Eichh.)) imported from Canada into Britain in logs of rock elm (*Ulmus Thomasii* Sarg.), 147.

WARDLOW, L. R. (*joint author*), see French, N., 58–64.

WARDLOW, L. R. (*joint author*), see French, N., 99–107.

WEBLEY, D. P. (*joint author*), see Stone, L. E. W., 181–3.

WELLINGS, L. W. (*joint author*), see Lapwood, D. H., 35–41.

WILKINS, P. Infection of *Lolium multiflorum* with *Rhynchosporium* Species, 107–11.

WILKINS, P. W. *Puccinia recondita* on Ryegrass, 198.

WINFIELD, A. L., KINGHAM, H. G. and YOUNG, C. J. Damage to Glasshouse Lettuce by *Pratylenchus penetrans* (Cobb, 1917) Chitwood and Oteifa, 1952, 144–6.

WONG, W. C. and PREECE, T. F. Infection of Cricket Bat Willow (*Salix alba* var. *caerulea*) Sm. by *Erwinia salicis* (Day) Chester detected in the Field by the Use of a Specific Antiserum, 95–7.

WOODVILLE, H. C. Observations on Saddle Gall Midge (*Haplodiplosis equestris* (Wagn.)) in Eastern England, 177–81.

YOUNG, C. J. (*joint author*), see Winfield, A. L., 144–6.

SUBJECT INDEX

Aphelinus flavipes, 189.

Aphidius matricariae, 189.

Aphids: as Vectors of Beet Mosaic, 42.

Apple:
- Effect of Mildew Spray Programme on Control of Red Spider Mite, 184.

Arprocarb for Control of Douglas Fir Seed Wasp, 79.

Arabis Mosaic Virus in Raspberry in the West Midlands, 65.

Arion hortensis, 34.

Azinphos-methyl for Control of:
- Cabbage Leaf Miner on Calabrese, 51.
- Douglas Fir Seed Wasp, 79.
- Rosy Rustic Moth on Hops, 58.

Barley:
- Detection of Mildew Infection Periods, 11.
- Saddle Gall Midge in Eastern England, 177.
- *Septoria nodorum* as Seed-borne Pathogen, 194.
- Weather Conditions and Spore Trap Catches of Mildew, 1.

BAS 3170F for Control of Yellow Rust of Wheat, 172.

Beet: Mosaic – declining in England, 42.

Bendiocarb for Control of Wheat Bulb Fly, 113.

Benomyl:
- Tolerance in *Botrytis cinerea* and *Penicillium corymbiferum*, 139.
- Use in Relation to Tomato Stemphylium Blight, 70.

Benomyl for Control of:
- Fruit Tree Red Spider Mite, 185.
- *Mortierella bainieri* on Cultivated Mushroom, 26.
- Pre- and Post-harvest Diseases of Strawberry, 67.

BHC for Control of Wheat Bulb Fly, 117.

Binapacryl for Control of Fruit Tree Red Spider Mite, 185.

Biological Control:
- Control of Ophiobolus Patch Disease of Turf by *Phialophora radicicola*, 149.
- Cool Storage of Some Parasites Used for Pest Control in Glasshouses, 189.

Bioresmethrin for Control of Glasshouse Whitefly, 101.

Bird Damage: Cucumbers Damaged by Common Wren, 197.

Botrytis cinerea, 139.

Botrytis cinerea on Strawberry, 67.

Brussels Sprouts: Damage to Transplants by Larvae of Bean Seed Fly, 49.

C 10015 (Ciba) for Control of Wheat Bulb Fly, 113.

C 18244 (Ciba) for Control of Wheat Bulb Fly, 113.

Calabrese: Insecticidal Control of Cabbage Leaf Miner, 51.

Carbaryl for Control of:
- Douglas Fir Seed Wasp, 79.
- Rosy Rustic Moth on Hops, 58.

Carbofuran for Control of Wheat Bulb Fly, 113.

Carbophenothion for Control of Wheat Bulb Fly, 113.

Cartap for Control of Glasshouse Whitefly, 101.

Cheletomorpha lepidoptorum, 147.

Chlorfenvinphos for Control of:
- Carrot Fly on Parsnip, 124.
- Wheat Bulb Fly, 117.

Chrysanthemum: Control of Red Spider Mite on Pot Chrysanthemums, 22.

Copper Oxychloride for Control of Hop Powdery and Downy Mildew, 130.

Corynebacterium sepedonicum, 126.

Cucumber:
- Cheyletid Mite found on Leaves, 147.
- Effects of Insecticides on Glasshouse Whitefly, 99.
- Glasshouse Crop Apparently Damaged by Common Wren, 197.

Cylindrocarpon destructans, 48.

DDT for Control of:
- Cabbage Leaf Miner on Calabrese, 51.
- Douglas Fir Seed Wasp, 79.
- Glasshouse Whitefly, 101.
- Rosy Rustic Moth on Hops, 58.

Delia platura, 49.

Dialifor for Control of Wheat Bulb Fly, 113.

Diazinon for Control of:
- Cabbage Leaf Miner on Calabrese, 51.
- Carrot Fly on Parsnip, 124.
- Douglas Fir Seed Wasp, 79.

Dichlorvos for Control of Glasshouse Whitefly, 101.

Dicofol for Control of Red Spider Mite on Pot Chrysanthemums, 22.

Dieldrin for Control of Wheat Bulb Fly, 117.

Dimethoate for Control of:
Cabbage Leaf Miner on Calabrese, 51.
Glasshouse Whitefly, 101.

Dinocap for Control of:
Fruit Tree Red Spider Mite, 185.
Hop Powdery and Powdery Mildew, 130.

Disulfoton for Control of Carrot Fly on Parsnip, 124.

Docking Disorder of Sugar Beet, 161.

Douglas Fir: Tests of Insecticides against Seed Wasp, 79.

'Dowco 199' for Control of Fruit Tree Red Spider Mite, 185.

Du Pont 1642 for Control of Red Spider Mite on Pot Chrysanthemums, 22.

'Dursban' for Control of Wheat bulb fly, 113.

Eelworm: Damage to Glasshouse Lettuce by *Pratylenchus penetrans*, 144.

Elm: Interception of North American Elm Bark Beetle imported into Britain in Logs of Rock Elm, 147.

Encarsia formosa, 189.

Erysiphe graminis, 1, 11.

Erwinia salicis, 95.

Ethion for Control of Wheat Bulb Fly, 113.

Ethoprop for Control of Wheat Bulb Fly, 113.

Fenazaflor for Control of Red Spider Mite on Pot Chrysanthemums, 22.

Fenitrothion for Control of:
Douglas Fir Seed Wasp, 79.
Rosy Rustic Moth on Hops, 58.

Forecasting:
Detection of Barley Mildew Infection Periods, 11.
Early Prediction of Damage to Potatoes, 30.

Formetanate for Control of Red Spider Mite on Pot Chrysanthemums, 22.

Fusarium sambucinum, 63.

Gaeumannomyces graminis, 88.

Gaeumannomyces graminis var. *avenae*, 149.

Gamma BHC for Control of:
Douglas Fir Seed Wasp, 79.
Glasshouse Whitefly, 101.
Rosy Rustic Moth on Hops, 58.

Gibberella pulicaris, 63

Grasses:
Damage to Grassland by Larvae of Common Leaf Weevil, 50.
Leys in Control of Take-all in Intensive Cereal Cropping, 88.

GS 13006 for Control of Wheat Bulb Fly, 117.

Haplodiplosis equestris, 177.

Heterodera pallida, 181.

Hoe 6052 for Control of Yellow Rust of Wheat, 172.

Hops:
Biology, Damage and Control of Rosy Rustic Moth, 58.
Effect of Tunnelling by Rosy Rustic Moth Larvae on Incidence of Fusarium Canker, 58.
Side-Effects of Downy Mildew Fungicides on Incidence of Powdery Mildew, 129.

Hydraecia micacea, 58.

Hylurgopinus rufipes, 147.

Iodofenphos for Control of Wheat Bulb Fly, 113.

Irrigation for Control of Potato Common Scab, 35.

Leptohylemyia coarctata, 112.

Lettuce: Damage in Glasshouses by *Pratylenchus penetrans*, 144.

Lolium multiflorum, 107.

Longidorus, spp., 156, 161.

Malathion for Control of:
Cabbage Leaf Miner on Calabrese, 51.
Douglas Fir Seed Wasp, 79.
Glasshouse Whitefly, 101.

MBC for Control of Pre- and Post-harvest Diseases of Strawberry, 67.

Megastigmus spermotrophus, 79.

Methidathion for Control of Rosy Rustic Moth on Hops, 58.

Methiocarb for Control of Wheat Bulb Fly, 113.

Mevinphos for Control of Cabbage Leaf Miner on Calabrese, 51.

Milax budapestensis, 34.

Mortierella bainieri, 25.

Mushroom: Shaggy Stipe caused by *Mortierella bainieri*, 25.

Naled Fumigant for Control of Glasshouse Whitefly, 101.

Nectria radicicola, 48.

Nematodes: Persistence of *Heterodera pallida* under Different Non-host Regimes, 181.

Nicotine for Control of Glasshouse Whitefly, 101.

Oats: Saddle Gall Midge in Eastern England, 177.

Onion: Soft Rot caused by *Pseudomonas alliicola*, 98.

Ophiobolus graminis, 88.

Oxamyl to Control *Pratylenchus* spp. in Glasshouse Lettuce, 144.

Panonychus ulmi, 184.

Parathion for Control of:
Cabbage Leaf Miner on Calabrese, 51.
Glasshouse Whitefly, 101.

Parsnip: Chemical Control of Carrot Fly, 123.

Pea: Damage to Seedlings by Larvae of Bean Seed Fly, 49.

Pelargonium: *Puccinia pelargonii-zonalis* in Scotland, 148.

Penicillium corymbiferum, 139.

'Pentac' for Control of Red Spider Mite on Pot Chrysanthemums, 22.

Petroleum Oil for Control of Glasshouse Whitefly, 102.

Phialophora radicicola, 88, 149.

Phorate for Control of Carrot Fly on Parsnip, 124.

'Phosvel' for Control of Wheat Bulb Fly, 113.

Phoxim for Control of Wheat Bulb Fly, 113.

Phyllobius pyri, 50.

Phytomyza rufipes, 51.

Phytoseiulus persimilis, 134

Pirimiphos-ethyl for Control of Wheat Bulb Fly, 113.

'Polyram' for Control of Yellow Rust of Wheat, 172.

Potato:
Distribution of Mop-top Virus in Scotland, 73.
Early Prediction of Slug Damage, 30.
External Ringspot caused by Tobacco Rattle Virus, 120.
Irrigation to Control Potato Common Scab, 35.
Mop-top Virus in Scotland, 73.
Persistence of *Heterodera pallida* under Different Non-host Regimes, 181.
Survey in England and Wales for Ring Rot, 126.

PPC–3 (Fisons) for Control of Wheat Bulb Fly, 113.

Pratylenchus minyus, 144.

Pratylenchus penetrans, 144.

Pratylenchus spp., 167.

Predators: *Phytoseiulus persimilis* to Control *Tetranychus urticae*, 134.

Propineb for Control of:
Hop Downy and Powdery Mildew, 130.
Yellow Rust of Wheat, 172.

Propoxur for Control of:
Glasshouse Whitefly, 101.
Wheat Bulb Fly, 113.

Pseudomonas alliicola, 98.

Pseudoperonospora humuli, 129.

Psila rosae, 123.

Puccinia pelargonii-zonalis, 148.

Puccinia recondita, 198.

Puccinia striiformis, 27.

Pyrethrum for Control of Glasshouse Whitefly, 101.

Quinomethionate for Control of:
Red Spider Mite on Pot Chrysanthemums, 22.

Raspberry:
NEPO Viruses in the West Midlands, 65.
Ringspot Virus in Raspberry in the West Midlands, 65.
Tolerance to Benomyl in *Botrytis cinerea*, 139.

RD 21192 (Boots) for Control of Wheat Bulb Fly, 117.

Rhizopus spp. on Strawberry, 67.

Rhubarb: Degeneration caused by *Nectria radicicola*, 48.

Rhynchosporium orthosporum, 107.

Rhynchosporium secalis, 107.

Rose: Winter Survival and Diapausing Behaviour of Red Spider Mite, 16.

Rotenone for Control of Glasshouse Whitefly, 101.

Ryegrass:
Affected by *Puccinia recondita*, 198
Damage by Larvae of Common Leaf Weevil, 50.
Infection of Italian Ryegrass with *Rhynchosporium* spp., 107.

Septoria nodorum, 194.

Slugs: Early Prediction of Damage to Potatoes, 30.

Sphaerotheca humuli, 129.

Sphaerotheca macularis, 67.

Stemphylium botryosum, 70.

Strawberry:
Latent Ringspot Virus in Raspberry in the West Midlands, 65.
Spray Programmes and Control of Pre- and Post-harvest Diseases, 67.
Tolerance to Benomyl in *Botrytis cinerea*, 139.

Streptomyces scabies, 35.

Streptomycin for Control of Hop Powdery and Downy Mildew, 130.

Sugar Beet:
Docking Disorder, 156.
Effect of Nematodes, Rainfall etc. on Docking Disorder, 161.
Nematode-transmitted Viruses, 156.

Sulfotep for Control of Glasshouse Whitefly, 101.

Sulphur for Control of Yellow Rust of Wheat, 172.

Surveys:
Docking Disorder of Sugar Beet, 161.
Docking Disorder, Tobacco Rattle and Tomato Blackring Viruses in Beet, 156.
For Potato Ring Rot in England and Wales, 126.
Saddle Gall Midge in Eastern England, 177.

TEPP for Control of Glasshouse Whitefly, 101.
Tetradifon for Control of Red Spider Mite on Pot Chrysanthemums 22.
Tetranychus urticae, 16, 22, 134.
Thiabendazole for Control of Pre- and Post-harvest Diseases of Strawberry, 67.
Thionazin for Control of Glasshouse Whitefly, 101.
Thiophanate-methyl for Control of Pre- and Post-harvest Diseases of Strawberry, 67.
Tobacco Rattle Virus, 120.
Tolerance to Fungicides: Tolerance to Benomyl in *Botrytis cinerea* and *Penicillium corymbiferum*, 139.
Tomato:
Phytoseiulus persimilis to Control *Tetranychus urticae*, 134.
Stemphylium Leaf Blight, 70.
Traps and Trapping: Weather and Catches of Barley Mildew, 1.
Trialeurodes vaporariorum, 99.
Triarimol for Control of Fruit Tree Red Spider Mite, 185.
Trichlorphon for Control of Cabbage Leaf Miner on Calabrese, 51.
Trichodorus spp., 156, 161.
Tridemorph for Control of Yellow Rust of Wheat, 172.
Triforine for Control of Yellow Rust of Wheat, 172.
Troglodytes troglodytes, 197.
Tulip: Tolerance to Benomyl in *Penicillium corymbiferum*, 139.
Turf: Factors affecting Ophiobolus Patch Disease and its Control by *Phialophora radicicola*, 149.
Tylenchorhynchus spp., 167.
Tyrophagus, sp., 147.

Verticillium dahliae, 139.
Virus Diseases:
Beet Mosaic declining in England, 42.
Corky Ringspot of Potato, 120.
Distribution of Potato Mop-top Virus in Scotland, 73.
NEPO Viruses in the West Midlands, 65.
Tobacco Rattle Virus, 156.
Tobacco Rattle Virus in Potato, 120.
Tomato Blackring Virus, 156.

Wheat:
Chemical Control of Bulb Fly in the East Midlands, 112.
Control of Take-all by Grass Leys in Intensive Cereal Cropping, 88.
Effect of Yellow Rust and its Control on Yield of Joss Cambier, 171.
New Physiologic Race of *Puccinia striiformis* in Scotland, 27.
Saddle Gall Midge in Eastern England, 177.
Weather in England and Wales:
Autumn and Winter 1972–73, 143.
Spring and Summer 1972, 47.
Willow:
Infection of Cricket Bat Willow by *Erwinia salicis* detected in Field by Specific Antiserum, 95.
Wren: Damage to Cucumbers, 197.

Xiphinema diversicaudatum, 66.

Zineb for Control of:
Hop Downy and Powdery Mildew, 130.
Yellow Rust of Wheat, 172.

Printed in England for Her Majesty's Stationery Office by J. Looker Ltd., 82 High Street, Poole, Dorset.
Dd. 507228 K13. 3/74